## **Foton G7 Ambulance - Export Diesel Left- Handed**

| Serial | Product Name                       | Product Model |  |  |
|--------|------------------------------------|---------------|--|--|
|        | Floduct Name                       | Floduct Wodel |  |  |
| Numbe  |                                    |               |  |  |
| r      |                                    |               |  |  |
| one    | Foton G7 ambulance                 |               |  |  |
|        |                                    |               |  |  |
|        |                                    |               |  |  |
| two    | Basic vehicle technical parameters |               |  |  |
| Serial |                                    |               |  |  |
| Numbe  | name                               | project       |  |  |
| r      |                                    |               |  |  |
| 1      | Chassis model:                     | BJ6539B1PDA-3 |  |  |
| 2      | Chassis Company:                   | Futian        |  |  |

| 3      | Vehicle dimensions (mm):        | 5320×1695×2240 mm                                |
|--------|---------------------------------|--|
| 4      | Engine model:                   | BJ493ZLQ4  |
| 5      | Engine displacement (ml):       | 2771   |
|        | . , ,                           |  |
| 6      | Rated power (kW/rpm):           | 7 0  |
| 7      | Fuel:                           | diesel fuel                                      |
| 8      | Emission standards:             | Euro IV  |
| 9      | Maximum speed (km/h):           | 120  |
| 10     | Wheelbase (mm):                 | 3050   |
| 11     | Front track:                    | 1470   |
| 12     | Rear track:                     | 1465   |
| 13     | transmission:                   | Manual/5 gears                                   |
| 14     | Suspension system (front/rear): | 1190/1 0 8 0                                     |
| 15     | Fuel tank capacity:             | 65L  |
| 16     | tire:                           | 195R15C steel wheels + face mask                 |
| 17     | Front suspension:               | Double wishbone torsion bar spring               |
|        |                                 | independent suspension                           |
| 18     | Rear suspension:                | Leaf spring non-independent suspension           |
| 19     | Drive method:                   | Mid-engine, rear-wheel drive                     |
| three  | Standard config                 | guration content of the project                  |
| Serial |                                 |  |
| Numbe  | project                         | name   |
| r      |                                 |  |
|        | Appearance markings             | First Aid Signs                                  |
|        |                                 | Reference image for exterior stripes             |
| 1      |                                 | Two-thirds of the medical cabin glass is covered |
|        |                                 | with a transparent frosted film.                 |
|        | Alert system                    | 100W alarm and handheld control                  |
|        |                                 | Cylindrical flashing lights at the rear of the   |
| 2      |                                 | vehicle  |
|        |                                 | left and right strobe lights                     |
| 3      | oxygen supply system            | Two standard oxygen ports and one                |

|    |                            | humidification bottle .  |
|----|----------------------------|--|
|    |                            | One set of concealed oxygen tubing                                       |
|    |                            | Two 10L oxygen cylinders (including pressure                             |
|    |                            | reducing valve )   |
|    | air conditioning system    | Original air conditioning in the driver's cab                            |
| 4  |                            | High-powered air conditioning in the medical                             |
|    |                            | ward   |
| 5  | ventilation system         | One two-way ventilation fan  |
| 6  | Lighting system            | Two lights are installed on the top.                                     |
| 7  | sterilization system       | One ultraviolet disinfection lamp  |
| 8  | stretcher system           | Automatic loading stretcher  |
| 0  | Stretcher System           | stretcher pads and baffles   |
|    | Power supply system        | Integrated Control System  |
| 9  |                            | 1000W inverter ( 1 unit)   |
|    |                            | Two 220V power sockets   |
|    | Floor assembly             | Environmentally friendly and corrosion-resistant laminated wood flooring |
|    |                            | Medical-grade wear-resistant flooring offers                             |
| 10 |                            | advantages such as flame retardancy, slip                                |
|    |                            | resistance, mildew resistance, easy cleaning,                            |
|    |                            | wear resistance, and acid and alkali resistance.                         |
| 11 | Central partition assembly | The polymer partition wall has a movable sliding                         |
|    |                            | window in the upper part.  |
| 12 | Intercom system            | One hands -free walkie-talkie  |
|    | Control cabinet assembly   | Integrated medical device cabinet on the right                           |
|    |                            | side of the medical cabin  |
|    |                            | Sliding storage cabinet installed on the top right                       |
| 13 |                            | side   |
|    |                            | Oxygen cylinder cabinet behind the partition on                          |
|    |                            | the right side of the medical cabin                                      |
|    |                            | Small storage seats behind the partition                                 |
|    |                            | Single individual seat and seat belt on the front                        |

|    |                   | left side of the medical compartment              |
|----|-------------------|---|
|    |                   | A two-person long row of seats with seat belts is |
|    |                   | installed on the left rear side of the medical    |
|    |                   | compartment.                                      |
| 14 | Other accessories | One fire extinguisher is installed in the rear    |
|    |                   | compartment.                                      |
|    |                   | Two infusion slide rails and brackets             |
|    |                   | 1 waste bin                                       |
|    |                   | Yellow safety handrail at the top                 |

## **Vehicle exterior images (for reference only)**



## Interior rendering 1 (for reference only)



Interior rendering 2 (for referenceonly)

